

Modello 6290-AC

DETTAGLI

Codice	Tipo sede punta	Lancia da Taglio Compatibile	Cannello da Taglio Compatibile
6290-00AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-0AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-1AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-2AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-3AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-4AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-5AC	Harris	73, 49, 273, 72, 36	62, 242, 42
6290-6AC	Harris	73, 49, 273, 72, 36	62, 242, 42

TECNICO

Codice	Impugnatura compatibile	Spessore taglio	O2 a pressione equivalente	Gas combustibile a pressione equivalente	O2 a bassa pressione	Gas combustibile a bassa pressione
6290-00AC	43-2, 263, 543, 85	5-10	1.0-2.0	0.3-0.8	1.0-2.0	0.015-0.2
6290-0AC	43-2, 263, 543, 85	10-15	1.5-2.5	0.3-0.8	1.5-2.5	0.015-0.2
6290-1AC	43-2, 263, 543, 85	15-25	2.0-3.5	0.3-0.8	2.0-3.5	0.015-0.2
6290-2AC	43-2, 263, 543, 85	25-50	3.0-4.5	0.3-0.8	3.0-4.5	0.015-0.2
6290-3AC	43-2, 263, 543, 85	50-100	3.0-4.5	0.3-0.8	3.0-4.5	0.015-0.2
6290-4AC	43-2, 263, 543, 85	100-175	3.5-5.5	0.3-0.8	3.5-5.5	0.015-0.2
6290-5AC	43-2, 263, 543, 85	175-250	4.5-5.5	0.3-0.8	4.5-5.5	0.015-0.2
6290-6AC	43-2, 263, 543, 85	250-300	5.0-6.5	0.3-0.8	5.0-6.5	0.015-0.2

Modello 6290-H1F

DETTAGLI

Codice	Numero modello	Tipo sede punta	Lancia da Taglio Compatibile
6290-H1F10	6290-H1F	Harris	572, 573
6290-H1F25	6290-H1F	Harris	572, 573
6290-H1F50	6290-H1F	Harris	572, 573
6290-H1F75	6290-H1F	Harris	572, 573
6290-H1F100	6290-H1F	Harris	572, 573
6290-H1F150	6290-H1F	Harris	572, 573

TECNICO

Codice	Impugnatura compatibile	Spessore taglio
6290-H1F10	543-IT, 585-IT	5-10
6290-H1F25	543-IT, 585-IT	15-25
6290-H1F50	543-IT, 585-IT	25-50
6290-H1F75	543-IT, 585-IT	50-75
6290-H1F100	543-IT, 585-IT	75-100
6290-H1F150	543-IT, 585-IT	100-175

Modello 6290-NX

DETTAGLI

Codice	Numero modello	Lancia da Taglio Compatibile	Cannello da Taglio Compatibile
6290-000NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-00NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-0NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-1NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-2NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-3NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-4NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-5NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42
6290-6NX	6290-NX	73, 49-F, V49-3F, 273, 72, 36	62, 242, 42

TECNICO

Codice	Impugnatura compatibile	Spessore taglio	O2 a pressione equivalente	Gas combustibile a pressione equivalente	O2 a bassa pressione	Gas combustibile a bassa pressione
6290-000NX	43-2, 263, 543, 85	0-5	1.0-2.0	0.3-0.8	1.0-2.0	0.015-0.2
6290-00NX	43-2, 263, 543, 85	5-10	1.5-2.0	0.3-0.8	1.5-2.0	0.015-0.2
6290-0NX	43-2, 263, 543, 85	10-15	2.0-3.0	0.3-0.8	2.0-3.0	0.015-0.2
6290-1NX	43-2, 263, 543, 85	15-25	2.5-3.5	0.3-0.8	2.5-3.5	0.015-0.2
6290-2NX	43-2, 263, 543, 85	25-50	3.0-4.0	0.3-0.8	3.0-4.0	0.015-0.2
6290-3NX	43-2, 263, 543, 85	50-75	3.0-4.5	0.3-0.8	3.0-4.5	0.015-0.2
6290-4NX	43-2, 263, 543, 85	75-150	3.5-5.5	0.3-0.8	3.5-5.5	0.015-0.2
6290-5NX	43-2, 263, 543, 85	150-200	4.5-5.5	0.3-0.8	4.5-5.5	0.015-0.2
6290-6NX	43-2, 263, 543, 85	200-300	5.0-6.5	0.3-0.8	5.0-6.5	0.015-0.2